

# TDACP4

## FOUR DOOR ACCESS CONTROLLER



### FEATURES:



- Support 100,000 valid cards & 150,000 records
- Support multiple cards
- Support card, password, fingerprint and combination
- TCP/IP interface to PC
- Wiegand or RS-485 interface to readers(2/4 door)
- Door time out alarm, intrusion alarm, duress alarm and tamper alarm
- Anti-passback, multi-door interlock, multi-card open
- Support 128 efficient time and holiday schedules
- Watch dog function ensure device free from halting
- Surface mounted installation

## Specifications:

<b>Model</b>	<b>TDACP4</b>
<b>System</b>	
Main Processor	32 Bit
Memory	16M
<b>Input/Output Ports</b>	
Input	Inputs x 9 (door sensor x 4, exit button x 4, alarm x 1)
Output	Realy x 5(door lock x 4, alarm x 1)
Reader	Reader x 4
<b>Capacity</b>	
Card holders/Events	100,000/150,000
<b>Function</b>	
Access Control	Anti-pass back, Multi-interlock, Multi-card unlock
User Management	General, VIP, Guest, Patrol, Black list, Duress
Alarm Function	Door time out alarm, Intrusion alarm, Duress alarm, Tamper alarm
Period	Support 128 groups of schedule, 128 groups of period and 128 groups of holiday period
<b>Interface</b>	
To PC	RJ45(10/100M)
To Reader	Wiegand/RS485
<b>General</b>	
RTC	Yes
Power Supply	DC12V/1A
Working Environment	-30°C~+60°C
Working Humidity	≤90%
Dimensions (WxDxH)	210*51*106mm

Weight	0.5kg
--------	-------

# Dimensions:



# Application:

Multi-door Management  
Four door controller

